Heredity **74** (1995) 677–680

Author Index

Allainguillaume, J. *see* Wilkinson, M. J.
Aluka, P. *see* Marshall, A. H.
Alvarez, G. *see* Rolán-Alvarez, E.
Amigues, Y. *see* Pépin, L.
Anderson, W. W. *see* McCarthy, E. M.
Araneda, C. *see* Gallardo, M. H.
Asmussen, M. A. *see* McCarthy, E. M.

Backeljau, T. *see* Van Dongen, S.
Bahrman, N. *see* Plomion, C.
Bancroft, D. R., Pemberton, J. M., King, P., Extensive protein and microsatellite variability in an isolated, cyclic ungulate population **326**
Bandi, C. *see* Baruffi, L.
Barrett, S. C. H. *see* Fenster, C. B.
Baruffi, L., Damiani, G., Guglielmino, C. R., Bandi, C., Malacrida, A. R., Gasperi, G., Polymorphism within and between populations of *Ceratitis capitata*: comparison between RAPD and multilocus enzyme electrophoresis data **425**
Bennett, M. D. *see* Wilkinson, M. J.
Bennett, S. T. *see* Wilkinson, M. J.
Bensaid, A. *see* Pépin, L.
Bergmann, F. *see* Krutovskii, K. V.
Berlocher, S. H., Population structure of *Rhagoletis mendax*, the blueberry maggot **542**
Berthier, J.-L. *see* Pépin, L.
Betrán, E., Quezada-Díaz, J. E., Ruiz, A., Santos, M., Fontdevila, A., The evolutionary history of *Drosophila buzzatii*. XXXII. Linkage disequilibrium between allozymes and chromosome inversions in two colonizing populations **188**
Bijlsma, R. *see* Kappe, A. L.
Bilger, I. *see* Machon, N.
Binelli, G. *see* Sari-Gorla, M.
Bonhomme, F. *see* Jollivet, D.
Brakefield, P. M. *see* Holloway, G. J.
Burnet, B. *see* Muhammad-Ali, A.-Z. K.
Byrne, T. G. *see* Tourjee, K. R.

Cabrero, J. *see* López-León, M. D.
Cabrero, J. *see* Pardo, M. C.
Camacho, J. P. M. *see* López-León, M. D.
Camacho, J. P. M. *see* Pardo, M. C.
Capy, P. *see* Das, A.
Carrière, Y., Roitberg, B. D., Evolution of host-selection behaviour in insect herbivores: genetic variation and covariation in host acceptance within and between populations of *Choristoneura rosaceana* (Family: Tortricidae), the obliquebanded leafroller **357**
Ceccarelli, M., Minelli, S., Maggini, F., Cionini, P. G., Genome size variation in *Vicia faba* **180**
Cermeño, M.-C. *see* Hsam, S. L. K.
Chakraborty, R. *see* Jin, L.
Cionini, P. G. *see* Ceccarelli, M.
Clarke, J. *see* Mithen, R.
Clough, A. *see* Donald, T. M.
Clulow, S. A. *see* Wilkinson, M. J.
Conner, J. *see* Via, S.
Cornuet, J.-M. *see* Oldroyd, B. P.
Crill, W. D. *see* Huey, R. B.
Crouch, J. H., Lewis, B. G., Lydiate, D. J., Mithen, R., Genetic diversity of wild, weedy and cultivated forms of *Brassica rapa* **491**
Crozier, R. H. *see* Oldroyd, B. P.

Dahlgaard, J., Krebs, R. A., Loeschcke, V., Heat-shock tolerance and inbreeding in *Drosophila buzzatii* **157**
Damiani, G. *see* Baruffi, L.
Das, A., Mohanty, S., Capy, P., David, J. R., Mating propensity of Indian *Drosophila melanogaster* populations with *D. simulans*: a nonadaptive latitudinal cline **562**
David, J. R. *see* Das, A.
Dawson, I. K., Simons, A. J., Waugh, R., Powell, W., Diversity and genetic differentiation among subpopulations of *Gliricidia sepium* revealed by PCR-based assays **10**
de Jong, J. H. *see* Jacobsen, E.
de Jong, T. J. *see* Wesselingh, R. A.
de la Rúa, P. *see* Galián, J.
Dean, C. *see* Mithen, R.
Desbruyères, D. *see* Jollivet, D.
di Giusto, F. *see* Michaud, H.
Díez, M. *see* Santos, J. L.
Diggle, P. K. *see* Fenster, C. B.
Donald, T. M., Leach, C. R., Clough, A., Timmis, J. N., Ribosomal RNA genes and the B chromosome of *Brachycome dichromosomatica* **556**
Duggins, C. F., Jr., Karlin, A. A., Mousseau, T. A., Relyea, K. G., Analysis of a hybrid zone in *Fundulus majalis* in a northeastern Florida ecotone **117**
Durel, C.-E. *see* Plomion, C.

Ebbert, M. A., Variable effects of crowding on *Drosophila* hosts of male-lethal and non-male-lethal spiroplasmas in laboratory populations **227**
Evans, G. M. *see* Stammers, M.

Fedorov, V. B., Fredriksson, R., Fredga, K., Genetic differentiation among populations of *Myopus schisticolor* (the wood lemming) — isozyme variation **267**
Fenster, C. B., Diggle, P. K., Barrett, S. C. H., Ritland, K., The genetics of floral development differentiating two species of *Mimulus* (Scrophulariaceae) **258**
Fielder, D. R. *see* Lavery, S.
Finkeldy, R., Homogeneity of pollen allele frequencies of single seed trees in *Picea abies* (L.) Karst, plantations **451**
Fontdevila, A. *see* Betrán, E.
Ford-Lloyd, B. V. *see* Virk, P. S.
Forster, J. W. *see* Stammers, M.
Fredga, K. *see* Fedorov, V. B.
Fredriksson, R. *see* Fedorov, V. B.
Friebe, B. *see* Hsam, S. L. K.

Galián, J., Serrano, J., de la Rúa, P., Petitpierre, E., Juan, C., Localization and activity of rDNA genes in tiger beetles (Coleoptera: Cicindelinae) **524**
Gallardo, M. H., Köhler, N., Araneda. C., Bottleneck effects in local populations of fossorial *Ctenomys* (Rodentia, Ctenomyidae) affected by vulcanism **638**
Gallego, A. *see* Jiménez, M. M.
Gasperi, G. *see* Baruffi, L.
Gilchrist, G. W. *see* Huey, R. B.
González-Tizón, A. *see* Martínez-Lage, A.
Gotoh, T., Oku, H., Moriya, K., Odawara, M., Nucleus–cytoplasm interactions causing reproductive incompatibility between two populations of *Tetranychus quercivorus* Ehara et Gotoh (Acari: Tetranychidae) **405**
Gregorius, H.-R., Ziehe, M., Detecting independence in viability selection on two traits **70**
Gross, R., Nilsson, J., Application of heteroduplex analysis for detecting variation within the growth hormone 2 gene in *Salmo trutta* L. (brown trout) **286**
Guglielmino, C. R. *see* Baruffi, L.

Harding, J. *see* Tourjee, K. R.
Harding, K. *see* Wilkinson, M. J.
Harris, D. J., Jones, J. S., Genotype-specific habitat selection and thermal ecology in *Nucella lapillus* (L.) (the dogwhelk) **311**
Harris, J. *see* Stammers, M.
Hayward, M. D. *see* Stammers, M.
Hebert, P. D. N. *see* Simon, J.-C.
Henry, J.-P. *see* Machon, N.
Hewitt, G. M. *see* Pardo, M. C.
Holloway, G. J., Brakefield, P. M., Artificial selection of reaction norms of wing pattern elements in *Bicyclus anynana* **91**
Hsam, S. L. K. *see* Lutz, J.
Hsam, S. L. K., Cermeño, M.-C., Friebe, B., Zeller, F. J., Transfer of Amigo wheat powdery mildew resistance gene *Pm17* from T1AL·1RS to the T1BL·1RS wheat–rye translocated chromosome **497**
Huey, R. B., Wakefield, T., Crill, W. D., Gilchrist, G. W., Within- and between-generation effects of temperature on early fecundity of *Drosophila melanogaster* **216**
Humphreys, M. O., Multitrait response to selection in *Lolium perenne* L. (perennial ryegrass) populations **510**

Jackson, M. T. *see* Virk, P. S.
Jacobsen, E., de Jong, J. H., Kamstra, S. A., van den Berg, P. M. M.M., Ramanna, M. S., Genomic *in situ* hybridization (GISH) and RFLP analysis for the identification of alien chromosomes in the backcross progeny of potato (+) tomato fusion hybrids **250**
Jiménez, M. M. *see* Santos, J. L.
Jiménez, M. M., Romera, F., Gallego, A., Puertas, M. J., Genetic control of the rate of transmission of rye B chromosomes. II. 0B × 2B crosses **518**
Jin, L., Chakraborty, R., Population structure, stepwise mutations, heterozygote deficiency and their implications in DNA forensics **274**
Jollivet, D., Desbruyères, D., Bonhomme, F., Moraga, D., Genetic differentiation of deep-sea hydrothermal vent alvinellid populations (Annelida: Polychaeta) along the East Pacific Rise **376**
Jones, J. S. *see* Harris, D. J.
Juan, C. *see* Galián, J.

Kalai *see* Warren, J.
Kamstra, S. A. *see* Jacobsen, E.
Kappe, A. L., van de Zande, L., Vedder, E. J., Bijlsma, R., van Delden, W., Genetic variation in *Phoca vitulina* (the harbour seal) revealed by DNA fingerprinting and RAPDs **647**
Karlin, A. A. *see* Duggins, C. F., Jr.
King, P. *see* Bancroft, D. R.
Köhler, N. *see* Gallardo, M. H.
Krebs, R. A. *see* Dahlgaard, J.
Krutovskii, K. V., Bergmann, F., Introgressive hybridization and phylogenetic relationships between Norway, *Picea abies* (L.) Karst, and Siberian, *P. obovata* Ledeb., spruce species studied by isozyme loci **464**

Lavery, S., Moritz, C., Fielder, D. R., Changing patterns of population structure and gene flow at different spatial scales in *Birgus latro* (the coconut crab) **531**
Le Brun, N. *see* Moulia, C.
Leach, C. R. *see* Donald, T. M.
Lefranc, M. *see* Machon, N.
Lépingle, A. *see* Pépin, L.
Levin, D. A., Effect of inbreeding on autogamy in *Phlox* **108**
Lewis, B. G. *see* Crouch, J. H.
Li, T. X. *see* Michaud, H.
Limpert, E. *see* Lutz, J.
Lister, C. *see* Mithen, R.
Loeschcke, V. *see* Tomiuk, J.
Loeschke, V. *see* Dahlgaard, J.

Long, A. D., Singh, R. S., Molecules versus morphology: the detection of selection acting on morphological characters along a cline in *Drosophila melanogaster* **569**
López-León, M. D. *see* Pardo, M. C.
López-León, M. D., Cabrero, J., Camacho, J. P. M., Changes in DNA methylation during development in the B chromosome NOR of the grasshopper *Eyprepocnemis plorans* **296**
Loubes, C. *see* Moulia, C.
Lu, M.-Z., Szmidt, A. E., Wang, X.-R., Inheritance of RAPD fragments in haploid and diploid tissues of *Pinus sylvestris* (L.) **582**
Lumaret, R. *see* Michaud, H.
Lutz, J., Hsam, S. L. K., Limpert, E., Zeller, F. J., Chromosomal location of powdery mildew resistance genes in *Triticum aestivum* L. (common wheat). 2. Genes *Pm2* and *Pm19* from *Aegilops squarrosa* L. **152**
Lydiate, D. J. *see* Crouch, J. H.

McCarthy, E. M., Asmussen, M. A., Anderson, W. W., A theoretical assessment of recombinational speciation **502**
Machon, N., Lefranc, M., Bilger, I., Henry, J.-P., Isoenzymes as an aid to clarify the taxonomy of French elms **39**
Maggini, F. *see* Ceccarelli, M.
Malacrida, A. R. *see* Baruffi, L.
Marin, R. *see* Moulia, C.
Marshall, A. H., Michaelson-Yeates, T. P. T., Aluka, P., Meredith, M., Reproductive characters of interspecific hybrids between *Trifolium repens* L. and *T. nigrescens* Viv. **136**
Martínez-Lage, A., González-Tizón, A., Méndez, J., Chromosomal markers in three species of the genus *Mytilus* (Mollusca: Bivalvia) **369**
Méndez, J. *see* Martínez-Lage, A.
Mendlinger, S., Zohary, D., The extent and structure of genetic variation in species of the Sitopsis group of *Aegilops* **616**
Meredith, M. *see* Marshall, A. H.
Michaelson-Yeates, T. P. T. *see* Marshall, A. H.
Michaud, H., Toumi, L., Lumaret, R., Li, T. X., Romane, F., di Giusto, F., Effect of geographical discontinuity on genetic variation in *Quercus ilex* L. (holm oak). Evidence from enzyme polymorphism **590**
Minelli, S. *see* Ceccarelli, M.
Misir, S. *see* Warren, J.
Mithen, R. *see* Crouch, J. H.
Mithen, R., Clarke, J., Lister, C., Dean, C., Genetics of aliphatic glucosinolates. III. Side chain structure of aliphatic glucosinolates in *Arabidopsis thaliana* **210**
Mohanty, S. *see* Das, A.
Moraga, D. *see* Jollivet, D.
Moritz, C. *see* Lavery, S.
Moriya, K. *see* Gotoh, T.
Moulia, C., Le Brun, N., Loubes, C., Marin, R., Renaud, F., Hybrid vigour against parasites in interspecific crosses between two mice species **48**
Mousseau, T. A. *see* Duggins, C. F., Jr.
Muhammad-Ali, A.-Z. K., Burnet, B., Ethanol tolerance and variation at the alcohol dehydrogenase (*Adh*) locus of *Drosophila mauritiana* **438**

Nesbitt, K. A., Potts, B. M., Vaillancourt, R. E., West, A. K., Reid, J. B., Partitioning and distribution of RAPD variation in a forest tree species, *Eucalyptus globulus* (Myrtaceae) **628**
Newbury, H. J. *see* Virk, P. S.
Nilsson, J. *see* Gross, R.

Odawara, M. *see* Gotoh, T.
Oku, H. *see* Gotoh, T.
Oldroyd, B. P., Cornuet, J.-M., Rowe, D., Rinderer, T. E., Crozier, R. H., Racial admixture of *Apis mellifera* in Tasmania, Australia: similarities and differences with natural hybrid zones in Europe **315**
O'Malley, D. M. *see* Plomion, C.

Pamilo, P. *see* Seppä, P.
Pardo, M. C., López-León, M. D., Hewitt, G. M., Camacho, J. P. M., Female fitness is increased by frequent mating in grasshoppers **654**
Pardo, M. C., López-León, M. D., Viseras, E., Cabrero, J., Camacho, J. P. M., Miotic instability of B chromosomes during embryo development in *Locusta migratoria* **164**
Pemberton, J. M. *see* Bancroft, D. R.
Pé, M. E. *see* Sari-Gorla, M.
Pépin, L., Amigues, Y., Lépingle, A., Berthier, J.-L., Bensaid, A., Vaiman, D., Sequence conservation of microsatellites between *Bos taurus* (cattle), *Capra hircus* (goat) and related species. Examples of use in parentage testing and phylogeny analysis **53**
Petitpierre, E. *see* Galián, J.
Plomion, C., Bahrman, N., Durel, C.-E., O'Malley, D. M., Genomic mapping in *Pinus pinaster* (maritime pine) using RAPD and protein markers **661**
Potts, B. M. *see* Nesbitt, K. A.
Powell, W. *see* Dawson, I. K.
Puertas, M. J. *see* Jiménez, M. M.

Qiao, C.-L., Raymond, M., The same esterase B1 haplotype is amplified in insecticide-resistant mosquitoes of the *Culex pipiens* complex from the Americas and China **339**
Quezada-Díaz, J. E. *see* Betrán, E.

Radwan, J., Male morph determination in two species of acarid mites **669**
Ramanna, M. S. *see* Jacobsen, E.
Raymond, M. *see* Qiao, C.-L.
Reid, J. B. *see* Nesbitt, K. A.
Relyea, K. G. *see* Duggins, C. F., Jr.
Renaud, F. *see* Moulia, C.
Riffel, M., Storch, V., Schreiber, A., Allozyme variability of brown trout (*Salmo trutta* L.) populations across the Rhenanian–Danubian watershed in southwest Germany **241**

Rinderer, T. E. *see* Oldroyd, B. P.
Ritland, K. *see* Fenster, C. B.
Roff, D. A., The estimation of genetic correlations from phenotypic correlations: a test of Cheverud's conjecture **481**
Roitberg, B. D. *see* Carrière, Y.
Rolán-Alvarez, E., Zapata, C., Alvarez, G., Distinct genetic subdivision in sympatric and sibling species of the genus *Littorina* (Gastropoda: Littorinidae) **1**
Romane, F. *see* Michaud, H.
Romera, F. *see* Jiménez, M. M.
Rowe, D. *see* Oldroyd, B. P.
Ruiz, A. *see* Betrán, E.

Santos, J. L., Jiménez, M. M., Díez, M., Synaptic patterns of rye B chromosomes. IV. The B isochromosomes **100**
Santos, M. *see* Betrán, E.
Sari-Gorla, M., Binelli, G., Pé, M. E., Villa, M., Detection of genetic factors controlling pollen–style interaction in maize **62**
Schappert, P. J., Shore, J. S., Cyanogenesis in *Turnera ulmifolia* L. (Turneraceae). I. Phenotypic distribution and genetic variation for cyanogenesis on Jamica **392**
Schreiber, A. *see* Riffel, M.
Seppä, P., Pamilo, P., Gene flow and population viscosity in *Myrmica* ants **200**
Serrano, J. *see* Galián, J.
Shapcott, A., The spatial genetic structure in natural populations of the Australian temperate rainforest tree *Atherosperma moschatum* (Labill.) (Monimiaceae) **28**
Shore, J. S. *see* Schappert, P. J.
Simon, J.-C., Hebert, P. D. N., Patterns of genetic variation among Canadian populations of the bird cherry-oat aphid, *Rhopalosiphum padi* L. (Homoptera: Aphididae) **346**
Simons, A. J. *see* Dawson, I. K.
Singh, R. S. *see* Long, A. D.
Stammers, M., Harris, J., Evans, G. M., Hayward, M. D., Forster, J. W., Use of random PCR (RAPD) technology to analyse phylogenetic relationships in the *Lolium/Festuca* complex **19**
Storch, V. *see* Riffel, M.
Szmidt, A. E. *see* Lu, M.-Z.

Timmis, J. N. *see* Donald, T. M.
Tomiuk, J., Loeschcke, V., Genetic identity combining mutation and drift **607**
Toumi, L. *see* Michaud, H.
Tourjee, K. R., Harding, J., Byrne, T. G., Complex segregation analysis of *Gerbera* flower colour **303**

Vaillancourt, R. E. *see* Nesbitt, K. A.
Vaiman, D. *see* Pépin, L.
van de Zande, L. *see* Kappe, A. L.
van Delden, W. *see* Kappe, A. L.
van den Berg, P. M. M.M. *see* Jacobsen, E.
Van Dongen, S., Backeljau, T., One- and two-sample tests for single-locus inbreeding coefficients using the bootstrap **129**
Van Dongen, S., How should we bootstrap allozyme data? **445**
Vedder, E. J. *see* Kappe, A. L.
Via, S., Conner, J., Evolution in heterogenous environments: genetic variability within and across different grains in *Tribolium castaneum* **80**
Villa, M. *see* Sari-Gorla, M.
Virk, P. S., Ford-Lloyd, B. V., Jackson, M. T., Newbury, H. J., Use of RAPD for the study of diversity within plant germplasm collections **170**
Viseras, E. *see* Pardo, M. C.

Wakefield, T. *see* Huey, R. B.
Wang, X.-R. *see* Lu, M.-Z.
Warren, J., Misir, S., Kalai, Isozyme markers for self- compatibility and yield in *Theobroma cacao* (cacao) **354**
Waugh, R. *see* Dawson, I. K.
Wesselingh, R. A., de Jong, T. J., Bidirectional selection on threshold size for flowering in *Cynoglossum officianale* (hound's-tongue) **415**
West, A. K. *see* Nesbitt, K. A.
Wilkinson, M. J., Bennett, S. T., Clulow, S. A., Allainguillaume, J., Harding, K., Bennett, M. D., Evidence for somatic translocation during potato dihaploid induction **146**

Zapata, C. *see* Rolán-Alvarez, E.
Zeller, F. J. *see* Hsam, S. L. K.
Zeller, F. J. *see* Lutz, J.
Ziehe, M. *see* Gregorius, H.-R.
Zohary, D. *see* Mendlinger, S.

Heredity **74** (1995) 681–684

Keyword Index

2-D electrophoresis **661**
Acari **405**
Acaridae **669**
accumulation **164**
Aegilops **616**
Aegilops squarrosa **152**
alcohol dehydrogenase **438**
alien chromosome addition **250**
allozymes **1, 188, 241, 326, 346, 376, 531, 542, 569, 590, 638**
Alvinellidae **376**
ancestral gene **607**
Apis mellifera **315**
Arabidopsis thaliana **210**
artificial selection **415**
Athosperma moschatum **28**
autogamy **108**

Bicyclus anynana **91**
B chromosomes **100, 164, 296, 518, 556**
B transmission control **518**
backcross progeny **250**
beech **70**
bias **481**
biodiversity **170**
Birgus latro **531**
bootstrap **129, 445**
bottlenecks **326, 638**
Brachycome dichromosomatica **556**
Brassica rapa **491**
brown trout **286**

C-bands **369**
cacao **354**
cactophilic *Drosophila* **188**
Caraboidea **524**
Ceratitis capitata (medfly) **425**
cereal aphid **346**
Choristoneura rosaceana **357**
chromosome inversions **188**
chromosome markers **369**
chromosome methylation pattern **296**
chromosome rearrangements **502**
Cicindelinae **524**
cline, 117, 315, 569
CMA3 bands **369**
coefficient of gene diversity **274**
Coleoptera **80, 524**
colonization **188**
colour morphs **311**
compatability type **354**
competitive ability **62**
conifer **451**
conservation genetics **647**
controlled cross **582**
coverage probability **129**
Ctenomys **638**
Culex pipiens **339**
cyanogenesis **392**
cyclical parthenogen **346**
Cyprinodontidae **117**
cytoplasm **405**

developmental variation **392**
dihaploid induction **146**
diploid bud **582**
dispersal **200**
diversity **491**
DNA cytophotometry **180**
DNA fingerprinting **425, 647**
DNA forensics **274**
Drosophila buzzatii **157, 188**
D. mauritiana **438**
D. melanogaster **216, 562, 569**
D. pseudoobscura **227**
D. stimulans **562**
D. willistoni **227**

ecological genetics **392**
ecology **311**
ecotone **117**
ejaculate nutrient transfer **654**
electrophoresis **616**
embryo development **164**
environmental heterogeneity **80**
enzymes **70**
ethanol tolerance **438**
Eucalyptus globulus **628**
evolution **481**
Eyprepocnemis plorans **296**

F-statistics **267, 445**
facultative biennial **415**
fecundity **216, 654**
fighting males **669**
FISH **524**
flat periwinkles **1**

floral development **258**
*Fok*I DNA sequences **180**
forage grasses **19**
F_{ST} **376**
Fundulus **117**

gene amplification **339**
gene flow **200, 451, 531, 569**
gene mapping **210**
genetic correlations **80, 357, 481**
genetic differentation **267**
genetic distance **445**
genetic diversity **10, 39, 210, 346, 616**
genetic drift **607, 638**
genetic identity **607**
genetic resources **170**
genetic structure **1**
genetic variation **80, 376, 647**
genetics **28, 91, 628**
genotype environment interactions **80**
geographical variation **562, 569**
germplasm collection **616**
GH2 gene **286**
GISH **250**
Gliricidia sepium **10**
glucosinolates **210**
goat **53**

habitat selection **311**
half-sib families **510**
haploid macrogametophyte **582**
harbour seal **647**
Hardy–Weinberg law **129**
heat shock **157**
heritability **108, 357, 415, 510**
heterochromatin **369**
heterochrony **258**
heteroduplex analysis **286**
heterozygote deficiency **274**
homoplasy **19**
host-alternation **346**
host-selection behaviour **357**
hue **303**
hybrid vigour **48**
hybrid zone **117, 315**
hybridization **502**
hydrothermal vents **376**

in situ digestion **296**
in situ hybridization **146, 296, 556**
inbreeding, 108 **157**
inbreeding coefficient **129**
Indo-Pacific biogeography **531**
inheritance **582**
insect pathogens **227**
insecticide resistance **339**
interactions **70, 157**
interspecific crosses **48**
interspecific hybrids **136, 562**
interspecific priming **53, 286**
intraspecific DNA changes **180**
intraspecific genetic variation **53**
intraspecific polymorphism **286**
introgressive hybridization **464**
isofemale lines **562**
isozyme markers **354, 451**
isozymes **39, 267, 464**

jackknife **445**

karyometry **180**
kinesis **438**

laboratory strains **425**
larval behaviour **438**
larval dispersal **531**
life history **415**
linkage disequilibrium **117, 188**
linkage map **661**
Littorina mariae **1**
L. obtusata **1**
Locusta migratoria **164**
Lolium perenne **510**
long-term isolation **590**
Lycopersicon esculentum **250**

maize **62**
major genes **303**
malate dehydrogenase **315**
male-lethal spiroplasmas **227**
maternal inheritance **227**
mating effort **654**
mating system **258, 451**
meiosis **100**
mice **48**
microsatellites **53, 326**
migration **339**
Mimulus **258**
mitochondria DNA **10, 315**
mitotic instability **164**
molecular markers **19**
molecular variation **326**
monocarpy **415**
Monte Carlo simulation **129**
morphometrics **315**
multilocus enzyme electrophoresis **425**
multiple loci **70**
multiple mating **654**

mutation model **607**
Myopus schisticolor **267**
Myrmica nest budding **200**
Mytilus **369**

natural catastrophes **638**
natural populations **28, 326**
natural selection **392**
NORs **369, 524, 556**
novel environment **80**
Nucella lapillus **311**
nucleus **405**

Oryza sativa **170**
oxyuroids **48**

parasitism **48**
parental effects **216**
parental investment **654**
paring competition **100**
Pearson product–moment correlation **481**
pedigree analysis **303**
pests **210**
phenotypic correlation **481**
Phlox drummondii **108**
phosphoglucose isomerase **267**
phylogenetic analysis **19, 445, 464**
phylogeography **241**
Picea abies **451, 464**
P. obovata **464**
Pinus pinaster **661**
P. sylvestris **582**
plant breeding **170**
plant evolution **502**
plasticity **91**
pollen **62**
pollen dispersal **451**
pollen–style interaction **62**
polymorphism **39, 53, 241, 669**
polyphenism **669**
population **311**
population genetic structure **464, 542**
population genetics **10, 405, 531, 542**
population subdivision **1**
powdery mildew **152, 497**
power **129**
protein electrophoresis **497, 661**

QTLs **62**
quantitative genetics **357**
quantitative traits **303**
Quercus ilex **590**

RAPDs **10, 170, 425, 582, 628, 661**
rDNA **296, 524**

reaction norm **91, 216**
recurrent selection **510**
regressive models **303**
relative rates of increase **227**
repeatability **445**
repetitive DNA **180**
reproductive growth **136**
reproductive incompatibility **405**
resident brown trout **241**
resistance genes **152, 497**
RFLPs **62, 339, 491**
Rhagoletis **542**
Rhopalosiphum padi **346**
rRNA genes **556**
rye **100**

Salmo trutta L. **241, 286**
Secale cerale **497, 518**
selection **91, 267**
selection index **510**
selection response **510**
self-compatibility **108**
sheep **326**
social insects **200**
sociogenetic organization **200**
Solanum tuberosum **146, 250**
somatic hybrids **250**
somatic interchange **146**
Southern hybridization **19**
spatial autocorrelation **28**
speciation **502**
species relationships **616**
sperm competition **654**
statistical genetics **303**
stepwise mutations **274**
stocking **241**
stress tolerance **157**
survival **157**
sympatric speciation **502, 542**
synapsis **100**
synthetic amphiploid wheats **152**

taxonomy **19, 39**
temperate rainforest **28**
temperature **216**
Tephritidae **542**
Tetranychus quercivorus **405**
tetraploidy **39**
Theobroma cacao **354**
thermal stress **311**
threshold size for flowering **415**
threshold trait **357**
trees **2, 8, 39, 70, 354, 451, 464, 582, 590, 628, 661**
Trifolium nigrescens **136**
T. repens **136**

Triticum aestivum **152, 497**
Turnera ulmifolia **392**

Ulmus sp. **39**

variation patterns **628**
viability selection **70**
Vicia faba **180**
VNTR loci **274**
vulcanism **638**

wheat–rye translocation **497**
wild germplasm **491**
wild populations **425**
wing length **569**
wing pattern **91**

yield **354**